


HumRRO

HumRRO-Armor-RM

acces.no.6368

ADA 045604



U.S. Army Armor Human Research Unit Fort Knox, Kentucky

Under the Technical Supervision of

The George Washington University HUMAN RESOURCES RESEARCH OFFICE operating under contract with THE DEPARTMENT OF THE ARMY

DISTRIBUTION STATEMENT A

Approved for public release;
Distribution Unlimited

Grace on Assessed 4/68

US Army Armor Human Research Unit Fort Knox, Kentucky

An Investigation of Training to Discriminate Between the Tracked and Wheeled Vehicle Signals of the AN/TPS-33 Radar

> Arthur L. Miller David L. Easley Alfred J. Kraemer Paul H. Stevenson

Research Memorandum June 1962

A report of work done in connection with Subtask XIII, ARMORNITE, Task 11-27, "Human Factors in Armor Operations under Conditions of Limited Visibility"

> Willard) NORMAN WILLARD, JR. Director of Research

Research under the technical supervision of HUMAN RESOURCES RESEARCH OFFICE The George Washington University operating under contract with The Department of the Army

LIBRARY

US Army Avn Human Research Unit Post Office Box 428

Fort Rucker, Alabama

DISTRIBUTION STATEMENT A Approved for public release; Distribution Unlimited

TABLE OF CONTENTS

Problem	1
	•
Method	1
Materials	2
The Exercises	2
The Tests	3
Apparatus	3
Subjects	3
Procedure	4
Results and Discussion	4
Summary	5
Appendix A: Signals Used in the Exercise Tapes and the	
Criterion Tests	6
Orientation Tape	6 7 8
Paired-Signal Exercises	8
Criterion Tests	11
Appendix B: Mean Operator Scores, in Percentages, on t	he
Training Exercises	12

LIST OF TABLES

Table 1: Ordering of Paired-Signal Exercises ms of Variations in Number and Speed of Vehicles
Table 2: Sequences in Which the Exercise Tapes the Criterion Tests Were Administered
Table 3: Mean Operator Scores, in Percentages, on the Criterion Tests



An Investigation of Training to Discriminate Between the Tracked and Wheeled Vehicle Signals of the AN/TPS-33 Radar

PROBLEM

The data obtained from a recent study did not substantiate the widely held belief that ground surveillance radar operators can readily discriminate signals produced by tracked vehicles from signals produced by wheeled vehicles. In fact, the average level of performance (Mean, 52.4% correct) was about that which would have occurred had operators guessed in making their forced-choice responses. An analysis of operator responses revealed in general that regardless of vehicle type, audio signals produced by vehicles traveling at the slowest speed were most frequently identified as tracked vehicles. Regardless of vehicle type, signals produced by vehicles traveling at the fastest speed were most frequently identified as wheeled vehicles.

It appeared that operators were basing their identifications solely on signal characteristics which are due to the speed of the vehicle. This association obtained in spite of the fact that for all types of vehicles, the dominant pitch of the signal increases with speed.

There are, however, other characteristics of the signal which are determined by the type of vehicle, and which remain unique and unchanged regardless of vehicle speed. The objective of the present study was to determine whether or not naive operators can be taught to base their identifications of vehicle type on these unique characteristics of the signal.

METHOD

Exercises for use in training operators to discriminate between the two types of vehicles were constructed from signals which had been previously

¹A. J. Kraemer, D. L. Easley, and A. L. Miller, <u>Measurement of Proficiency</u>
in <u>Interpreting Ground Surveillance Radar Signals</u>, Working Paper (Fort Knox:
US Army Armor HRU, May 1962) (For Official Use Only).

recorded. After being trained on the exercises, subjects were given a criterion test to determine the level of their performance in making the discrimination.

Materials

The Exercises. Twenty-one exercise tapes were constructed, each tape consisting of a series of recorded audio signals produced by vehicle targets. One tape, consisting of 24 signals, was constructed to familiarize the subjects with the variety of vehicle signals to which they were to listen.

There were ten exercise tapes on which audio signals were presented in pairs, each tape consisting of ten pairs of signals. One signal of each pair was produced by a tracked vehicle, the other by a wheeled vehicle.

There were also ten exercise tapes on which signals were presented singly. Single-Signal Exercise 1 consisted of the same 20 signals used in constructing Paired-Signal Exercise 1; Single-Signal Exercise 2 contained the 20 signals used in preparing Paired-Signal Exercise 2; and so on.

The signals used in the 21 exercises are shown in Appendix A. The method of recording is described in an earlier report.²

To facilitate the learning of the signal characteristics peculiar to each vehicle type, two schemes were employed in constructing these exercises. By presenting a tracked and a wheeled vehicle as a pair of signals, the comparison of the characteristics of the two signals was facilitated. Since not only the type of vehicle, but also both vehicle speed and number of vehicles, determine the characteristics of the auditory signal, the exercises were ordered to bring in these other characteristics gradually. Reference to Table 1 will show how, at first, the exercises presented only differences which were due to vehicle type. Later the characteristics attributable to vehicle speed and number of vehicles were added.

²<u>Ibid</u>., pages 3-4.

Table 1
Ordering of Paired-Signal Exercises in Terms of Variations in Number and Speed of Vehicles

Paired- Signal	Throughout	All Items in an Exercise		Item in an Exercise
Exercise	Number	Speed	Number	Speed
1	Same (1)	Same (10)	Same	Same
2	Same (2)	Same (15)	Same	Same
3	Same (1)	Different (5-20)	Same	Same
4	Same (1)	Different (5-20)	Same	Different
5	Different (Same	Same
6	Different (Different	Same
7	Different (Same	Same
8	Different (Same	Different
9	Different (Different	Same
10	Different (Different	Different

The tapes were recorded on an Ampex Model 601-2 Tape Recorder; 12-mil mylar, low print-through tape was employed, because of its high resistance to stretching under conditions of excessive heat and dampness.

A voice announcement of the number was made at the beginning of each item. After the target signal or pair of signals, there was a short interval of silence for answering; then the signal or signals were identified by a voice announcement on the tape. In the orientation exercise the identity of the signal was announced before the signal, and the subject was not required to make an identification.

The Tests. Two forms of a test of 32 signals were constructed. Both forms contained the same signals. Since several recordings of each signal had been made, it was possible to use similar but not identical signals of the same target in the two forms of the test. It was therefore possible to construct two nearly equivalent forms of the test. Insofar as possible, signals used in the exercises were not identical to those used on the tests. The format and the method of recording were the same for the tests as for the exercises, except that no feed-back was recorded on the test tapes.

Apparatus

Both training and testing were conducted in a quiet room. The tapes were played on an Ampex Model 601-2 Tape Recorder. The signal from the recorder was fed through a Knight Amplifier (Model KN-400) to the headsets. Knight High Fidelity Headsets (Model KN-840) and AN/TPS-33 headsets were used. Volume control boxes were provided for each headset.

Subjects

Ten junior-grade Army officers served as subjects. They had no known auditory defects and no previous experience in listening to radar signals.

Radar operators are enlisted men rather than officers. Officers were used as

subjects, however, because it has been frequently observed that they are in general more highly motivated in performing experimental tasks.

Procedure

Subjects were trained and tested in groups of two. After a briefing on the nature and purpose of the task, the orientation exercise was played. The experimenter then discussed the subjects' impressions of the signals and answered their questions.

The schedule of training and testing is shown in Table 2. Two sequences for presenting the exercises were employed. In Sequence A, the single-signal exercises were presented before the corresponding paired-signal comparison exercises. In Sequence B, at corresponding times the paired-signal exercises were presented first. For both sequences, reviews were given at the beginning of the afternoon sessions and at the beginning of the second day. Testing occurred at the end of both days. Half of the subjects were assigned to each training sequence. Rest periods of from 5 to 15 min. were given between exercises.

RESULTS AND DISCUSSION

The mean test scores for the entire group for both days are shown in Table 3. It was found that the performance on the first day's test was significantly better than that which would have occurred by chance; a \underline{t} value of 3.01, P<.02, was obtained. The result of a \underline{t} test between the test scores made on the first and second days was significant. ($\underline{t} = 3.01$, P<.02). Thus the data show that it is possible to teach naive operators the characteristics by which signals of tracked and wheeled vehicles may be discriminated.

In conducting the study, a pilot test was made to determine the effect on performance of the type of headset employed. The data in Table 3 show that

Table 2
Sequences in Which the Exercise Tapes and the Criterion Tests Were Administered^a

Exercises in	Sequence A	Exercises in S	Sequence B
First Day	Second Day	First Day	Second Day
Mornia	ng Schedule of Exercise	e Tapes	
Urientation Tape	Paired-Signal 1 Paired-Signal 2	Orientation Tape	Paired-Signal 1 Paired-Signal 2
Single-Signal 1	Paired-Signal 3	Paired-Signal 1	Paired-Signal 3
Paired-Signal 1	Paired-Signal 4	Single-Signal 1	Paired-Signal 4
Single-Signal 2	Paired-Signal 5	Paired-Signal 2	Paired-Signal 5
Paired-Signal 2	Single-Signal 6	Single-Signal 2	Paired-Signal 6
Single-Signal 3	Paired-Signal 6	Paired-Signal 3	Single-Signal 6
Paired-Signal 3	Single-Signal 7	Single-Signal 3	Paired-Signal 7
	Paired-Signal 7		Single-Signal 7
After	noon Schedule of Exerc	ise Tapes	
Single-Signal 3	Paired-Signal 7	Single-Signal 3	Paired-Signal
Single-Signal 1	Single-Signal 8	Single-Signal 1	Paired-Signal
Single-Signal 4	Paired-Signal 8	Paired-Signal 4	Single-Signal 8
Paired-Signal 4	Single-Signal 9	Single-Signal 4	Paired-Signal
Single-Signal 5	Paired-Signal 9	Paired-Signal 5	Single-Signal
Paired-S 5	Single-Signal 10	Single-Signal 5	Paired-Signal 10
	Paired-Signal 10		Single-Signal 10
Crite Testh	Criterion Test	Criterion Test	Criterion Test

^aRest periods of 5 to 15 min. were given between successive exercises.

bForms A and B of the criterion test were counterbalanced between subjects on both days.

Table 3

First Day	Second Day
60.96	69.96
65.64	75.64
56.28	63.74
57.02	70.30
63.58	69.28
	60.96 65.64 56.28 57.02

differences in performance due to the type of headset used during training and testing are negligible. Although the test scores made by the Sequence A Group were consistently higher than those made by the Sequence B Group (Table 3), the difference was not statistically significant.

The mean scores made on the training exercises are listed in Appendix B. As might be expected, subjects who did well on the exercises also did well on the tests. Wide differences in performance between subjects were noted during training and testing. These differences were consistent in that subjects whose performances were poor were consistently poor, and those whose performances were good were consistently good. (The correlation between the test scores for the first and second days was .71.) These findings suggest that perhaps the major problem in obtaining an adequate performance level for operators is one of selection, rather than training.

SUMMARY

The purpose of the study was to determine whether or not it is possible to teach the discrimination between the signals produced by tracked and wheeled vehicles on the AN/TPS-33 radar.

Ten junior grade officers received two days' training on twenty taperecorded exercises. They were given criterion tests at the end of each day of training.

The results showed that it is possible to obtain an average performance which is significantly better than chance. However, the wide, consistent differences observed between individual performances suggest that obtaining a high level of performance may be largely a problem of selection rather than one of training. An effective combination of selection and training procedures should produce AN/TPS-33 operators who can discriminate signals of tracked vehicles from those of wheeled vehicles.

APPENDIX A: Signals Used in the Exercise Tapes and the Criterion Tests

ORIENTATION TAPE

Item	Single Signal
1	1 Jeep, 20 mph
2	1 Jeep, 5 mph
3	1 Jeep, 10 mph
4	1 Jeep, 15 mph
5	1 Jeep, 20 mph
6	1 Tank, 20 mph
7	1 Tank, 5 mph
1 2 3 4 5 6 7 8	1 Tank, 10 mph
9	1 Tank, 15 mph
10	1 Tank, 20 mph
11	1 Truck, 20 mph
12	1 Truck, 5 mph
13	1 Truck, 10 mph
14	1 Truck, 15 mph
15	1 Truck, 20 mph
16	1 APC, 20 mph
17	1 APC, 5 mph
18	1 APC, 10 mph
19	1 APC, 15 mph
20	1 APC, 20 mph
	Paired Signals
21	Wheeled, 20 mph Tracked, 20 mph
22	Wheeled, 15 mph Tracked, 15 mph
23	Wheeled, 10 mph Tracked, 10 mph
24	Wheeled, 5 mph Tracked, 5 mph

PAIRED-SIGNAL EXERCISES1

Paired-Signal Exercise 1:

Item	Paired Signals	
1	1 Tank, 10 mph	1 Jeep, 10 mph
2	1 Tank, 10 mph	1 Jeep, 10 mph
3	1 Jeep, 10 mph	1 APC, 10 mph
4	1 Jeep, 10 mph	1 APC, 10 mph
5	1 Truck, 10 mph	1 APC, 10 mph
6	1 Truck, 10 mph	1 Tank, 10 mph
7	1 Truck, 10 mph	1 APC, 10 mph
8	1 Tank, 10 mph	1 Jeep, 10 mph
9	1 APC, 10 mph	1 Truck, 10 mph
10	1 Tank, 10 mph	1 Truck, 10 mph

Paired-Signal Exercise 2:

Item	Paired Signals	
1	2 Trucks, 15 mph	2 Tanks, 15 mph
2	2 APCs, 15 mph	2 Trucks, 15 mph
3	2 Jeeps, 15 mph	2 Tanks, 15 mph
4	2 Jeeps, 15 mph	2 APCs, 15 mph
5	2 Tanks, 15 mph	2 Trucks, 15 mph
6	2 Tanks, 15 mph	2 Trucks, 15 mph
7	2 Trucks, 15 mph	2 APCs, 15 mph
8	2 Jeeps, 15 mph	2 APCs, 15 mph
9	2 Jeeps, 15 mph	2 Tanks, 15 mph
10	2 Jeeps, 15 mph	2 APCs, 15 mph

Paired-Signal Exercise 3:

Item	Paired Signals	
1	1 APC, 20 mph	1 Jeep, 20 mph
2	1 Truck, 5 mph	1 Tank, 5 mph
3	1 Truck, 10 mph	1 APC, 10 mph
4	1 Tank, 15 mph	1 Jeep, 15 mph
5	1 Truck, 20 mph	1 Tank, 20 mph
5	1 APC, 15 mph	1 Jeep, 15 mph
7	1 APC, 5 mph	1 Truck, 5 mph
8	1 Tank, 10 mph	1 Jeep, 10 mph
9	1 Truck, 20 mph	1 Tank, 20 mph
10	1 APC, 5 mph	1 Jeep, 5 mph

¹The 20 signals used in Paired-Signal Exercise 1 were presented separately in Single-Signal Exercise 1; those used in Paired-Signal Exercise 2 were presented separately in Single-Signal Exercise 2; and so on.

Paired-Signal Exercise 4:

Item	Paired Signals	
1	1 APC, 20 mph	1 Jeep, 5 mph
2	1 Jeep, 20 mph	1 APC, 5 mph
3	1 Jeep, 5 mph	1 Tank, 20 mph
4	1 Truck, 10 mph	1 APC, 20 mph
5	1 Truck, 15 mph	1 Tank, 5 mph
6	1 Truck, 5 mph	1 Tank, 15 mph
7	1 Truck, 10 mph	1 APC, 15 mph
8	1 Tank, 20 mph	1 Jeep, 15 mph
9	1 Jeep, 20 mph	1 Tank, 15 mph
10	1 APC, 10 mph	1 Truck, 5 mph

Paired-Signal Exercise 5:

Item	Paired Signals	
1	1 Truck, 10 mph	1 Tank, 10 mph
2	2 Tanks, 10 mph	2 Jeeps, 10 mph
3	1 APC, 10 mph	1 Truck, 10 mph
4	2 Jeeps, 10 mph	2 APCs, 10 mph
5	1 Tank, 10 mph	1 Jeep, 10 mph
6	2 APCs, 10 mph	2 Trucks, 10 mph
7	1 Jeep, 10 mph	1 APC, 10 mph
8	2 APCs, 10 mph	2 Trucks, 10 mph
9	2 Tanks, 10 mph	2 Trucks, 10 mph
10	1 Jeep, 10 mph	1 Tank, 10 mph

Paired-Signal Exercise 6:

Item	Paired Signals	
1	1 Truck, 15 mph	2 APCs, 15 mph
2	1 Jeep, 15 mph	2 APCs, 15 mph
3	1 Truck, 15 mph	2 Tanks, 15 mph
4	2 Trucks, 15 mph	1 APC, 15 mph
5	1 Jeep, 15 mph	2 Tanks, 15 mph
6	2 APCs, 15 mph	1 Jeep, 15 mph
7	2 Tanks, 15 mph	1 Truck, 15 mph
8	1 Jeep, 15 mph	2 Tanks, 15 mph
9	1 Tank, 15 mph	2 Jeeps, 15 mph
10	1 Truck, 15 mph	2 APCs, 15 mph

Paired-Signal Exercise 7:

Item	Paired Signals	
1	1 Tank, 20 mph	1 Truck, 20 mph
2	1 Jeep, 5 mph	1 APC, 5 mph
3	2 Tanks, 15 mph	2 Jeeps, 15 mph
4	2 Trucke, 15 mph	2 Tanks, 15 mph
5	1 Truck, 5 mph	1 APC, 5 mph
6	2 Jeeps, 20 mph	2 APCs, 20 mph
7	1 APC, 20 mph	1 Jeep, 20 mph
8	2 Tanks, 5 mph	2 Jeeps, 5 mph
9	1 Tank, 10 mph	1 Truck, 10 mph
10	2 APCs, 20 mph	2 Trucks, 20 mph

Paired-Signal Exercise 8:

Item	Paired Signals	
1	1 Truck, 20 mph	1 Tank, 15 mph
2	2 Jeeps, 10 mph	2 Tanks, 5 mph
3	2 APCs, 5 mph	2 Jeeps, 15 mph
4	2 Trucks, 5 mph	2 APCs, 20 mph
5	1 Truck, 5 mph	1 APC, 20 mph
6	1 Tank, 10 mph	1 Jeep, 5 mph
7	2 Jeeps, 5 mph	2 Tanks, 10 mph
8	1 APC, 15 mph	1 Truck, 20 mph
9	1 APC, 15 mph	1 Jeep, 20 mph
10	2 Tanks, 5 mph	2 Trucks, 20 mph

Paired-Signal Exercise 9:

Item	Paired Signals	
1	1 APC, 10 mph	2 Trucks, 10 mph
2	2 APCs, 20 mph	1 Jeep, 20 mph
3	2 APCs, 5 mph	1 Truck, 5 mph
4	1 Jeep, 20 mph	2 Tanks, 20 mph
5	2 Jeeps, 20 mph	1 Tank, 20 mph
6	1 Truck, 10 mph	2 Tanks, 10 mph
7	2 Jeeps, 15 mph	1 APC, 15 mph
8	2 Trucks, 20 mph	1 APC, 20 mph
9	2 Jeeps, 10 mph	1 Tank, 10 mph
10	2 Trucks, 5 mph	1 Tank, 5 mph

Paired-Signal Exercise 10:

Item	Paired Signals		
1	2 Jeeps, 5 mph	1 APC, 10 mph	
2	1 Jeep, 10 mph	2 APCs, 5 mph	
3	1 Tank, 20 mph	2 Trucks, 15 mph	
4	2 Tanks, 15 mph	1 Truck, 20 mph	
5	2 Jeeps, 20 mph	1 Tank, 5 mph	
6	2 Trucks, 5 mph	1 APC, 20 mph	
7	2 Tanks, 15 mph	1 Truck, 5 mph	
8	1 APC, 10 mph	2 Jeeps, 20 mph	
9	2 Jeeps, 10 mph	1 APC, 20 mph	
10	1 Tank, 5 mph	2 Trucks, 15 mph	

CRITERION TESTS

Form A

Form B

Item	Signal	Item	Signal
	1 Truck, 20 mph		1 Jeep, 15 mph
2	2 Trucks, 5 mph	2	2 Trucks, 5 mph
1 2 3 4 5 6 7	1 Tank, 5 mph	1 2 3 4 5 6	2 APCs, 10 mph
í.	1 Jeep, 10 mph	1	2 Trucks, 15 mph
5	2 Tanks, 15 mph	3	1 Tank, 10 mph
6	2 Tanks, 20 mph	6	1 Truck, 5 mph
7	1 Jeep, 20 mph		2 Tanks, 15 mph
8	2 Jeeps, 5 mph	7 8	1 Jeep, 5 mph
9	1 Truck, 10 mph	9	1 Truck, 20 mph
10	1 Tank, 15 mph	10	1 Truck, 15 mph
11	2 APCs, 20 mph	ii	1 Tank, 5 mph
12	2 Jeeps, 15 mph	12	1 APC, 5 mph
13	1 APC, 20 mph	13	1 APC, 10 mph
14	1 Tank, 20 mph	14	2 Jeeps, 15 mph
15	1 APC, 5 mph	15	2 Tanks, 10 mph
16	2 Trucks, 20 mph	16	2 APCs, 5 mph
17	2 Jeeps, 20 mph	17	2 Trucks, 10 mph
18	2 Tanks, 10 mph	18	1 Jeep, 10 mph
19	1 APC, 10 mph	19	2 Jeeps, 20 mph
20	2 Trucks, 15 mph	20	2 Trucks, 20 mph
21	2 APCs, 10 mph	21	2 Jeeps, 5 mph
22	1 Jeep, 15 mph	22	1 APC, 20 mph
23	1 Jeep, 5 mph	23	1 Truck, 10 mph
24	1 Tank, 10 mph	24	2 APCs, 20 mph
25	1 APC, 15 mph	25	2 Jeeps, 10 mph
26	2 Tanks, 5 mph	26	1 APC, 15 mph
27	2 Jeeps, 10 mph	27	1 Jeep, 20 mph
28	1 Truck, 15 mph	28	1 Tank, 20 mph
29	2 APCs, 15 mph	29	2 Tanks, 20 mph
30	2 APCs, 5 mph	30	2 APCs, 15 mph
31	2 Trucks, 10 mph	31	1 Tank, 15 mph
32	1 Truck, 5 mph	32	2 Tanks, 5 mph

APPENDIX B: Mean Operator Scores, in Percentages, on the Training Exercises

	tor Scores in Percent	ages, on the Training E	(ercises (N = 10)
Exercise Tape	Mean Score	S. D.	Range of Scores
	Paired-Signal Exerci	ses	
1	82.0	12.29	60 - 100
1 2 3 4 5 6 7 8 9	74.0	12.65	50 - 90
3	69.0	8.76	60 - 80
4	65.0	22.73	30 - 90
5	73.0	16.36	50 - 100
6	89.0	11.97	70 - 100
7	77.0	14.18	50 - 90
8	84.0	16.46	50 - 100
9	79.0	15.24	60 - 100
10	79.0	15.24	50 - 100
	Single-Signal Exerci	ses	
1	69.0	15.78	45 - 85
2	69.5	12.12	40 - 80
3	68.0	5.87	60 - 80
4	75.0	13.33	65 - 95
5	63.5	14.54	40 - 85
6	77.5	17.36	45 - 95
1 2 3 4 5 6 7 8 9	72.0	8.56	60 - 85
8	77.0	12.29	60 - 95
9	78.0	13.37	50 - 95
10	75.5	16.41	45 - 100

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered) READ INSTRUCTIONS REPORT DOCUMENTATION PAGE BEFORE COMPLETING FORM I. REPORT NUMBER 2. GOVT ACCESSION NO. OF REPORT & HERIOD COVERED AN INVESTIGATION OF IRAINING TO DISCRIMINATE BETWEEN THE IRACKED AND WHEELED VEHICLE SIGNALS OF THE AN/TPS-33 RADAR. Research Memorandum ERFORMING ORG. REFORT NUMBER B. CONTRACT OR GRANT NUMBER(.) Arthur L. Miller, David L./Easley, Alfred J. Kraemer Paul H. Stevenson DA-44-188-ARO-2 PERFORMING ORGANIZATION NAME AND ADDRESS PROGRAM ELEMENT POJECT, TASK AREA & WORK UNIT NUMBERS Human Resources Research Organization (HumRRO) 300 North Washington Street Alexandria, Virginia 22314 Task 11-27 11. CONTROLLING OFFICE NAME AND ADDRESS REPORT DATE Department of the Army June 1962 Office of the Chief of Research and Development 3. NUMBER OF PAGES Washington, D.C. 17 pages 14. MONITORING A DURESS(If different from Controlling Office) 15. SECURITY CLASS. (of this report) Unclassified

15a. DECLASSIFICATION/DOWNGRADING
SCHEDULE 16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited. 17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, If different from Report) 18. SUPPLEMENTARY NOTES Research performed by U.S. Army Armor HRU, Ft. Knox Kentucky, under Work Unit ARMORNITE XIII, "Human Factors in Armor Operations under Conditions of Limited Visibility." 19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Radar Operators AN/TPS-33 Radar 20. ABSTRACT (Continue on reverse side if necessary and identify by block number) The purpose of this study was to determine whether or not it is possible to teach the discrimination between the signals produced by tracked and wheeled vehicles on the AN/TPS-33 radar. Ten junior grade officers received two days' training on twenty tape-recorded exercises. They were given criterion tests at the end of each day of training. The results showed that is possible to obtain an average performance which is significantly better than chance. DD 1 JAN 73 1473 EDITION OF 1 NOV 63 IS OBSOLETE

Unclassified SECURITY CLASSIFICATION OF THIS PAGE (When Date Entered)